

Project: Residual Herbicides for the Control of Grass Weeds in Fallow
Trial: AM1327
District: Baradine
Soil Type: Soil pH ~6
Application Date: 26/11/2013

Disclaimer:

This document is based on the results from an individual trial and may contain experimental use patterns that are currently off-label. **This document does not provide any interpretation and should not be taken as an endorsement of any unregistered use pattern.**

Professional advice should be sought for specific recommendations to ensure access to the most up to date information and knowledge.

Any product referred to in this document must be used strictly as directed, and in accordance with all label or permit instructions. Always consult the label prior to use.

Trt No.	Product	Rate ml or g/ha	<i>Echinochloa colona</i> Awnless Barnyard Grass
			7/04/2014 132 DAA Plants/m ²
1	Untreated	-	6.9 a
2	Gp D SX	1800	6.0 ab
3	Gp D SX	3300	3.0 cde
4	Gp D T	1500	5.6 abc
5	Gp D T	3000	5.1 abc
6	Gp G V	210	3.7 bcde
7	Gp G V	280	3.7 bcde
8	Flame	200	0.8 f
9	Balance	100	3.5 bcde
10	Gp K DG	2000	1.7 ef
11	Gp D SX + Balance	1800 + 100	2.6 de
12	Flame + Balance	200 + 100	0.5 f
13	Gp K S	118	3.6 bcde
14	Gp CK PG	3200	4.0 abcd
P =			<0.01
LSD =			Arcsin Transformation