

PROC\_9176190\_2020 Gibson

No.	Treatment	Rate	Application	26/06/2020 29 DA-S				
				% Soil moist In furrow	% Soil moist Off furrow	Counts /m2	Biomass %	NDVI
1	Nil			5.3 a	3.6 a	44 a	118 a	0.24 a
2	Divine	2 L/ha	A OnFurrow	5.2 a	2.0 a	46 a	124 a	0.26 a
3	Divine	20 L/ha	B Handboom	4.9 a	2.3 a	45 a	135 a	0.24 a
4	SE14	2 L/ha	C Banded with seed	4.9 a	3.4 a	50 a	127 a	0.25 a
5	SE14	4 L/ha	C Banded with seed	5.1 a	3.1 a	43 a	125 a	0.22 a
6	Rain Drover	6.2 L/ha	C Banded with seed	4.8 a	3.6 a	39 a	128 a	0.22 a
<b>LSD P=.05</b>				<b>0.41</b>	<b>1.9</b>	<b>23.7</b>	<b>25.4</b>	<b>0.042</b>
<b>Standard Deviation</b>				<b>0.27</b>	<b>1.26</b>	<b>15.7</b>	<b>16.9</b>	<b>0.028</b>
<b>CV</b>				<b>5.47</b>	<b>41.97</b>	<b>35.25</b>	<b>13.39</b>	<b>11.78</b>
<b>Replicate F</b>				<b>2.399</b>	<b>3.584</b>	<b>0.612</b>	<b>1.83</b>	<b>2.79</b>
<b>Replicate Prob(F)</b>				<b>0.1086</b>	<b>0.0392</b>	<b>0.6176</b>	<b>0.185</b>	<b>0.0766</b>
<b>Treatment F</b>				<b>1.53</b>	<b>1.201</b>	<b>0.218</b>	<b>0.462</b>	<b>1.026</b>
<b>Treatment Prob(F)</b>				<b>0.2392</b>	<b>0.3553</b>	<b>0.9493</b>	<b>0.7984</b>	<b>0.4375</b>

Means followed by same letter or symbol do not significantly differ (P=.05, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.

No.	Treatment	Rate	Application	21/07/2020 54 DA-S		19/11/2020 175 DA-S		
				Biomass %	NDVI	Yield t/ha	Yield %UTC	Oil %
1	Nil			105 a	0.54 a	1.94 a	100 a	45.2 a
2	Divine	2 L/ha	A OnFurrow	110 a	0.57 a	1.98 a	102 a	45.5 a
3	Divine	20 L/ha	B Handboom	105 a	0.54 a	2.08 a	108 a	45.8 a
4	SE14	2 L/ha	C Banded with seed	95 a	0.53 a	1.90 a	99 a	45.0 a
5	SE14	4 L/ha	C Banded with seed	102.5 a	0.53 a	1.89 a	98 a	46.3 a
6	Rain Drover	6.2 L/ha	C Banded with seed	100 a	0.47 a	1.77 a	92 a	44.9 a
<b>LSD P=.05</b>				<b>10.51</b>	<b>0.1</b>	<b>0.301</b>	<b>16</b>	<b>1.95</b>
<b>Standard Deviation</b>				<b>6.97</b>	<b>0.067</b>	<b>0.2</b>	<b>10.6</b>	<b>1.3</b>
<b>CV</b>				<b>6.77</b>	<b>12.63</b>	<b>10.36</b>	<b>10.61</b>	<b>2.85</b>
<b>Replicate F</b>				<b>1.686</b>	<b>2.858</b>	<b>2.582</b>	<b>4.156</b>	<b>0.432</b>
<b>Replicate Prob(F)</b>				<b>0.2127</b>	<b>0.0721</b>	<b>0.092</b>	<b>0.0249</b>	<b>0.733</b>
<b>Treatment F</b>				<b>2.143</b>	<b>1.034</b>	<b>1.057</b>	<b>1.023</b>	<b>0.638</b>
<b>Treatment Prob(F)</b>				<b>0.1161</b>	<b>0.4335</b>	<b>0.4216</b>	<b>0.4387</b>	<b>0.674</b>

Means followed by same letter or symbol do not significantly differ (P=.05, LSD).

Mean comparisons performed only when AOV Treatment P(F) is significant at mean comparison OSL.