WHEAT GROWN ON ACID SOIL

Jenny Garlinge, CVT Project Manager, Department of Agriculture & Food



AIM

Evaluation of the ability of wheat varieties to tolerate acid/aluminum

BACKGROUND

Crop variety testing is the end evaluation of breeder lines prior to release. The crop variety program leads into the National Variety Testing program.

TRIAL DETAILS

Property	Dale Goodwin, Xantippe	
Plot size & replication	20m x 1.51m x 3 replications	
Soil type	Sandy loam	
Sowing date	11/6/07	
Seeding rate	50 kg/ha	
Fertiliser (kg/ha)	11/6/07: 80 kg/ha Agras No. 1	
Paddock rotation	2003 = Pasture, 2004 = Pasture, 2005 = Triticale, 2006 = Pasture	
Herbicides	14/5/07: 1.2 L/ha Glyphosate	
	11/6/07: 2 L/ha Sprayseed + 1.6 L/ha Trilogy	
Growing Season Rainfall	113mm	

RESULTS

Table 1: Yield and yield as percentage of control of wheat varieties at east Dalwallinu.

Variety	Yield	% of Control	
Variety	(Kg/ha)	(Wyalkatchem)	
Gladius	364	166*	
WAWHT2750	353	161*	
Arrino	346	158*	
Westonia	344	157*	
Magenta	331	151*	
EGA Bonnie Rock	329	150*	
Yitpi	323	147*	
TammarinRk	319	145*	
WAWHT2856	310	141*	
WAWHT2730	304	138*	
Spear	293	133*	
Calingiri	276	126*	
Correll	276	126*	
Cascades	265	121*	
Yandanooka	249	113	
BT-Schmbrk	248	113	
Wyalkatchem	220	100	
GBA Sapphire	208	95	
Schomburgk	183	83*	
* = significant (p=0.05).			
Mean	295		
CV	8.3		

COMMENTS

Pre Sowing: Dry seeded some moisture delow seeding depth. Early Season & Pre Harvest: Dry and hot days caused tipping.

CONTACT

Jenny Garlinge Ph. 93683501

Email. jgarlinge@agric.wa.gov.au

Cereals Research Results 5